
Elevate Your Lifestyle Experience








GLAZED VITRIFIED TILES

DOUBLE CHARGED VITRIFIED TILES





Double charged vitrified tiles are further processed to apply two layers of a powdery substance on the surface of the tile. This substance is made of carefully selected natural minerals, clay and other materials, which gives the tile its unique look and feel. The result is a tile with a smooth, glossy finish that is highly resistant to scratches and water damage. When compared to glazed vitrified tiles, double charged tiles are far more resistant to surface damage and wear and tear. The double layer of powdery substance on the tile's surface makes it more resistant to oils, stains and other liquids. The double charged tiles also have a higher degree of hardness than their glazed counterparts, making them more resistant to scratches and chipping.






Double charge top layer body is 3 to 4 mm thick. A double charged tile is a type of vitrified tile that is available in a variety of colors and sizes, making it widely used in homes, offices, and public spaces.

TECHNICAL FEATURES







LIGHTTRAFFIC TECHNOLOGY AREAS



NANO



RESISTANTTO LIQUID



RESISTANT TO SCRATCHES



EASYTO CLEAN



RESISTANT TO HIGH TEMPERATURE



CHEMICAL AND STAIN RESISTANT







HYGIENIC SURFACE



IMPACT RESISTANT



RESISTANT TO UV RAYS

APPLICATION AREA










MALLS & RESTAURANTS



PUBLIC

Providing stylish and comfortable tile solutions for indoor spaces is Nice Granito's mission. Our company manufactures and exports double charge vitrified tiles and glazed vitrified tiles all over the world.







Real **Marble White**



Real Marble Red



Waves Ash



Italian Royal Red



Italian Slate



Real Marble Crema



Real Marble Carbon



Waves Galaxy



Italian White+



Italian Galaxy



Real Marble Mushroom



Real Marble **Butterscotch**



Italian Alaska White




Italian Black



Italian Ash

Tap on a particular product to explore the size view & details. You can return to the main page by tapping the preview again.



Real Marble Raspberry



Waves White





Italian Yellow





Real Marble Slate



Waves Crema




Italian Grey



Italian Ruby

REAL MARBLE











REAL MARBLE WHITE

Finish **Glossy**



Size

600 X 1200 mm













REAL MARBLE CREMA

Finish **Glossy**



Size

--- 600 X 1200 mm













REAL MARBLE MUSHROOM

Finish **Glossy**



Size

600 X 1200 mm














REAL MARBLE RASPBERRY

Finish **Glossy**



Size

600 X 1200 mm













REAL MARBLE SLATE

Finish **Glossy**



Size

600 X 1200 mm














REAL MARBLE RED

Finish **Glossy**



Size

600 X 1200 mm













REAL MARBLE CARBON

Finish **Glossy**



Size

600 X 1200 mm













REAL MARBLE BUTTERSCOTCH

Finish **Glossy**



Size

600 X 1200 mm

















WAVES WHITE

Finish **Glossy**



Size

600 X 1200 mm

Random





WAVES ASH

Finish **Glossy**



Size

600 X 1200 mm













WAVES CREMA

Finish **Glossy**




Size

600 X 1200 mm

Random





WAVES GALAXY

Finish **Glossy**




Size

600 X 1200 mm






ITALIAN











ITALIAN ALASKA WHITE

Finish **Glossy**



Size

600 X 1200 mm














ITALIAN WHITE

Finish Glossy



Size

600 X 1200 mm











ITALIAN GREY

Finish **Glossy**



Size

⁻ 600 X 1200 mm














ITALIAN ROYAL RED

Finish **Glossy**



Size

600 X 1200 mm




















ITALIAN BLACK

Finish **Glossy**



Size

600 X 1200 mm













ITALIAN YELLOW

Finish **Glossy**



Size

600 X 1200 mm

Random





ITALIAN RUBY

Finish **Glossy**



Size

600 X 1200 mm













ITALIAN SLATE

Finish **Glossy**




Size

600 X 1200 mm

Random





ITALIAN GALAXY

Finish **Glossy**




Size

600 X 1200 mm













ITALIAN ASH

Finish **Glossy**



Size


600 X 1200 mm











ITALIAN BROWN

Finish **Glossy**



Size

600 X 1200 mm





TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTIC	STANDARD AS PER ISO - 13006/EN14411 GROUP Bla	VALUES DECLARED BY NICE	TEST METHOD
A.	REGULATORY PROPERTIES			
1.	DEVIATION IN LENGTH & WIDTH	± 0.5%	± 0.1%	ISO-10545-2
2.	DEVIATION IN THICKNESS	± 5.0%	± 2.0%	ISO-10545-2
3.	STRAIGHTNESS OF SIDES	± 0.5%	± 0.1%	ISO-10545-2
4.	RECTANGULARITY	± 0.5%	± 0.1%	ISO-10545-2
5.	SURFACE FLATNESS	± 0.5%	± 0.1%	ISO-10545-2
6.	COLOR DIFFERENCES	UNALTERED	NO CHANGE	ISO-10545-16
7.	GLOSSINESS	AS PER MANUFACTURER	MIN.70%	GLOSSOMETER
B.	STRUCTURAL PROPERTIES			
1.	WATER ABSORPTION	<0.5%	< 0.05%	ISO-10545-3
2.	APPARENT DENSITY	>2.0 gm/cc	> 2.28 gm/cc	DIN 51082
C.	MASSIVE MECHANICAL PROPERTIES			
1.	FLEXURAL MODULUS OF RUPTURE	MIN 35N/mm ²	MIN 40N/mm²	ISO-10545-4
2.	FLEXURAL BREKING STRENGTH	MIN 1300 n	MIN 2000 N	ISO-10545-4
3.	IMPACT RESISTANCE	AS PER MANUFACTURER	MIN 0.55	ISO-10545-5
D.	SURFACE MECHINICAL PROPERTIES			
1.	DEEP ABRASION RESISTANCE	MAX 175mm³	MAX 138 mm³	ISO-10545-6
2.	MOH'S HARDNESS	MIN 6	7	EN101
E.	THERMO HYGROMETRIC PROPERTIES			
1.	FROST RESISTANCE	NO DAMAGE	FROST PROOF	ISO-10545-12
2.	THERMAL SHOCK RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-9
3.	MOISTURE EXPANSION	NILL	NIL	ISO-10545-10
4.	THERMAL EXPANSION	MAX 9.0 x 10 ⁻ 6	MAX 6.5 x 10 ⁻ 6	ISO-10545-8
F.	CHEMICAL PROPERTIES			
1.	CHEMICAL RESISTANCE	NO DAMAGE	NO DAMAGE	ISO-10545-13
2.	STAIN RESISTANCE	RESISTANCE	RESISTANCE	ISO-10545-14
G.	SAFETY PROPERTIES			
1.	SLIP RESISTANCE (FRICTION CO EFFICENT)	> 0.40	> 0.40	ISO-10545-17

600X1200 DOUBLE CHARGE



Sanlay India Private Limited

An Iso 9001:2015 Certified Company

Sanitaryware | Tiles | Bathware | Interior Design



+91-6205546239



sanlayindia@gmail.com | info@sanlayindia.com



www.sanlayindia.com